

Appln No. 09/672,287
Amdt date July 3, 2003
Reply to Office action of April 7, 2003

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A negative active material for a rechargeable lithium battery comprising a particle-agglomerated product comprising a carbonaceous material and an amorphous metal compound ~~[that is derived from a fatty acid metal salt]~~, the carbonaceous material being a material into or from which lithium is intercalated or deintercalated, and the amorphous metal compound being able to make an alloy with lithium and including one or more metals selected from the group consisting of Sn, Ag, Fe, Pd, Pb, Al, Si, In, Ni, Co, An and Cd, wherein the amorphous metal compound is present in an amount of 30 wt% or less based on the total weight of the negative active material.
2. (Original) The negative active material of claim 1 wherein the amorphous metal compound is partially coated on a surface of the particle-agglomerated product.
3. (Original) The negative active material of claim 1 wherein the amorphous metal compound is included in the particle-agglomerated product.
4. (Original) The negative active material of claim 1 wherein an average diameter of the particle-agglomerated product is 6 to 40 μm .
5. (Previously cancelled)

Appln No. 09/672,287

Amdt date July 3, 2003

Reply to Office action of April 7, 2003

6. (Original) The negative active material of claim 1 wherein the metal compound includes one or both of SnO_2 or SnO .

7. (Original) A negative electrode for a rechargeable lithium battery comprising the negative active material of claim 1.

8. (Original) A rechargeable lithium battery comprising the negative active material of claim 1.

9. (Previously Amended) A method of preparing a negative active material for a rechargeable lithium battery comprising the steps of:

adding a fatty acid metal salt to a carbonaceous material while the fatty acid metal salt and the carbonaceous material are agglomerated to produce an agglomerated precursor, wherein the fatty acid metal salt includes one or more metals selected from the group consisting of Sn, Ag, Fe, Pd, Pb, Al, Si, In, Ni, Co, Zn and Cd; and

heat-treating the agglomerated precursor to convert the fatty acid metal salt into the amorphous metal compound and to produce a particle agglomerated product.

10. (Original) The method of claim 9 wherein the fatty acid metal salt is used in the form of an aqueous solution.

11. (Original) The method of claim 9 wherein the carbonaceous material has an average diameter of 3 to 20 μm and the particle-agglomerated product has an average diameter of 6 to 40 μm .

Appln No. 09/672,287
Amdt date July 3, 2003
Reply to Office action of April 7, 2003

12. (Previously cancelled)

13. (Original) The method of claim 9 wherein the fatty acid metal salt is tin acetate.

14. (Original) The method of claim 9 wherein the metal compound includes one or both of SnO_2 or SnO .

15. (Original) The method of claim 9 wherein the heat-treating is performed at 250 to 800 °C.

16. (New) The negative active material of claim 1 wherein the amorphous metal compound is present in an amount ranging from 5 to 20 wt% based on the total weight of the negative active material.

17. (New) The method of claim 9 wherein the amorphous metal compound is included in an amount of 30 wt% or less based on the total weight of the negative active material.


18. (New) The method of claim 9 wherein the amorphous metal compound is included in an amount ranging from 5 to 20 wt% based on the total weight of the negative active material.

19. (New) A negative active material for a rechargeable lithium battery comprising a particle-agglomerated product comprising a carbonaceous material and an amorphous metal compound that is derived from a fatty acid metal salt, the carbonaceous material being a material into or from which lithium is intercalated or

Appln No. 09/672,287

Amdt date July 3, 2003

Reply to Office action of April 7, 2003

 deintercalated, and the amorphous metal compound being able to make an alloy with lithium and including one or more metals selected from the group consisting of SnO_2 and SnO .

20. (New) The negative active material of claim 19 wherein the amorphous metal compound is present in an amount ranging from 5 to 20 wt% based on the total weight of the negative active material.
